

intimus 14.95 heavy duty shredder (6x50 mm)

HEAVY-DUTY SHREDDER WITH INTERNAL FEEDING CONVEYOR



Industrial

P-3 | A powerful paper shredder for industrial and centralised applications, featuring a large feed table with integrated conveyor, capable of handling up to 120 sheets at once, with a generous throughput of approx. 325 kg/h



Shredding material:

- Paper with staples and paper clips
- Crumpled paper
- CD / DVD / Blu-ray
- Plastic card
- Floppy disk



The intimus 14.95 features an expansive feed table, equipped with an integrated conveyor belt, ensuring a controlled, effortless, secure, and swift loading process. It features automatic start-stop-restart functionality and an automatic control system for reverse motion in case of paper overload. The broad 440 mm input tray facilitates convenient, rapid, and secure loading, capable of shredding CDs, crumpled paper, and credit cards in a single operation.

A 400-litre collection bag, mounted on a sliding metal frame is positioned beneath the cutting mechanism, accompanied by an automatic stop when the PE bag is full. The device boasts a reduced width (80 cm) to easily fit through most standard doors, complemented by wheels for effortless mobility. The intimus 14.95 model offers an optional automatic oiling system and features a clear and intuitive control panel.

With a shredding capacity of up to 120 sheets, the device operates at a low noise level of 61 dB(A). It adheres to security level P-3 and offers a spacious 400-litre collection volume for shredded material. The shredding speed of 300 mm/s is impressive, leading to a throughput of up to 325 kg/h.

KEY FEATURES

- The particles sized at 6 x 50 mm meet the P-3 security standard outlined in DIN 66399 (ISO/IEC 21964).
- The machine works with all kind of paper materials: Loose, clipped, stapled, bound, crumpled - it doesn't matter and in small amounts also plastic materials such as credit cards, CDs and floppy disks can be destroyed.
- Efficiently handles with a working width of 440 mm 110-120 sheets of 80 g/m² paper.
- Ensures a swift and effective document processing with a throughput of approx. 325 kg per hour.
- Easily fits through most standard doors with dimensions of 80 x 167 x 169 cm (WxDxH).
- Enhanced mobility provided by castors, complemented by a sturdy metal cabinet base for convenience.
- Equipped with an easily removable metal frame and a 400-litre waste bag for effortless disposal.

- Featuring easy operation buttons and a lockable master switch.
- Induction-hardened solid steel cutting cylinders / shaft ensure a long product lifetime.
- Enables effortless document shredding with internal conveyor belt, dosage paddles, auto reverse, overload protection, bin full sensor and optional emergency stop bar and automatic oiler.

SPECIFICATIONS

Area of application	Industrial
Cutting size paper (mm x mm)	6 x 50
Cutting type paper	Cross cut
Security level ISO/IEC 21964 (DIN 66399)	P-3 / T-3 ¹ / O-2 / E-2 ³
Shredding material	Paper with staples and paper clips, Crumpled paper, CD / DVD / Blu-ray, Plastic card, Floppy disk
Waste disposal solution	Metal frame with reusable bag
Intake width (mm)	440
Inlet / desk height (mm)	1.200
Sheet capacity (80g/m ²)	110 - 120
Throughput	approx. 325 kg/h
Cutting speed (80g/m ²) mm/s	300
Bin volume (l)	400
Continuous Running	yes
Noise level (idle operation) dB(A)	61
Motor protection device with thermal sensor	yes
Power supply (V / Hz)	400 / 50
Other voltages available	yes
Product dimensions W x D x H (cm)	80 x 167 x 169
Product weight (kg)	443
Control operation	Buttons
Visual status indication for ...	Ready, Bin full, Door open, Overheat, Material jam, Oil needed
Auto reverse	yes
Internal conveyor belt	yes
Dosage paddles	yes
Overload protection	yes
Safety features	Emergency stop bar (optional)
Lockable master switch	yes
Bin full sensor	yes
Expansion of feed table	yes
Castors	yes
Parking brakes	yes
Material machine housing	Metal
Certificates / Listings	CE, UKCA

¹ Only floppy disks / ID cards.

3 Only plastic cards with electronic chip.